



Hydraulic Bollard (Build-in Hydraulic Pump)



Hydraulic Bollard

(Build-in hydraulic pump)

NS-AHBS10-200-600-6

NS-AHBS10-220-900-6

NS-AHBS10-275-900-10



Features

- » Built-in hydraulic pump with Biodegradable oil
- » Anti-terrorist defense
- » Easy to install and operate
- » Low maintenance cost
- » Robust construction
- » High visibility gloss and reflective
- » Emergency operation

Item No.	NS-AHBS10-200-600-6	NS-AHBS10-220-900-6	NS-AHBS10-275-900-10
Diameter	220mm	220mm	275mm
Blocking Height	600mm	900mm	900mm
Cylinder Thickness	6mm	6mm	10mm
Cylinder material	Carbon steel / 304SS / 316SS		
Bollard pit material	Carbon steel		
Voltage	220V 50Hz		
Surface treatment	Carbon steel: Galvanization and powder coated (color can be customized according to RAL No.) Stainless steel: Hairline polish		
Rising speed	30cm/S		
Lowing speed	20cm/S		
IP Level	IP 67		
Working temperature	-40 °C — +70 °C		
Frequency use	High intensive		
Impact resistance	750Kj		
Reflective tape	One 3M diamond series reflective, customized logo is available		
LED light	Red LED light		
Accessories	Remote controller×2		
Optional	Push button, loop detector, photocell, buzzer, traffic light, heater can be optional		



Disclaimer: Brief product specifications are mentioned, that may change without prior notice, please check with OEM before purchase. Images are shown for reference only; the actual product may differ due to product enhancement.