



# ELECTROMAGNETIC LOCK

Model - NS-EM60L

## Overview

Electromagnetic Lock is used in access control systems by providing secure locking and controlled access to buildings and areas.

It enhances security by restricting unauthorized entry. It has got high build quality and unmatched resilience, making it a durable and secure product. Electromagnetic Lock is easy to install and use.

## Features

- Provides a robust and tamper-resistant locking mechanism.
- It has got holding force of 280kg (600Lbs)
- Allows for convenient access control management.
- Requires minimal installation effort and time.
- Can be easily integrated with various access control systems.
- Requires minimal maintenance and provides long-lasting performance.

## Benefits

- Provides a high magnetic force for secure locking.
- Instantly releases the lock when power is interrupted.
- Suitable for inward or outward opening doors.
- Allows flexible positioning during installation.
- Provides visual status indication of lock status.
- Operates efficiently without any hassles.

## Technical Specifications

Model	NS-EM60L
Size	258Lx42Wx25H(mm)
Armature Plate Dimension	180Lx38Wx11H(mm)
Holding Force	280kg(600Lbs)
Current	TCP/IP 100M/1000M
Suitable	Wooden door , Glass door ,Metal door , Fireproof door
Surface Temp	≤+20 C
Humidity	0~90%(non-condensing)
Operating Temp	-20°C~+55°C(-4—131°F)
Cover Finish	Anodized aluminum
Lock Finish	Zinc
Armature Plate Finish	Zinc
Weight	2.1kg



**Disclaimer:** Brief product specifications are mentioned, that may change without prior notice, please check with OEM before purchase. Images are shown for reference only; the actual product may differ due to product enhancement.