




Semi - Automatic Bollard



Semi - Automatic Bollard

NS-SABS10-114-600-3

NS-SABS10-168-600-5

NS-SABS10-220-600-6

NS-SABS10-220-900-6



Features

- » Easy key release
- » Low maintenance cost
- » Economic solution
- » Uncharged bollard
- » High visibility gloss and reflective

Item No.	NS-SABS10-114-600-3	NS-SABS10-168-600-5	NS-SABS10-220-600-6	NS-SABS10-220-900-6
Diameter	114mm	168mm	220mm	220mm
Blocking Height	600mm	600mm	600mm	900mm
Cylinder Thickness	3mm	5mm	6mm	6mm
Cylinder material	Carbon steel / 304SS / 316SS			
Bollard pit material	Carbon steel			
Surface treatment	Carbon steel: Galvanization and powder coated (color can be customized according to RAL No.) Stainless steel: Hairline polish			
Rising speed	15cm/S			
Lowing speed	15cm/S			
IP Level	IP 67			
Working temperature	-40°C — +70°C			
Frequency use	High intensive			
Reflective tape	One 3M diamond series reflective, customized logo is available			
LED light	Red LED light			
Accessories	Keys*2			



Disclaimer: Brief product specifications are mentioned, that may change without prior notice, please check with OEM before purchase. Images are shown for reference only; the actual product may differ due to product enhancement.