

SEMI-AUTOMATIC TURNSTILE GATE

Entrance Management System

Model : NS-TS9-V120

Semi-automatic Turnstile Gate NS-TS9-V120

Overview



Our Tripod Turnstile is a security entrance control system with three rotating arms that restrict or permit passage. Commonly used in various facilities, including public transportation hubs, stadiums, and office buildings, it efficiently regulates pedestrian flow. Its compact design, reliability, and ease of integration make it a popular choice for access management.



Features

- Durable SUS 304 stainless steel construction.
- Ample pass width of 550mm for easy access.
- Swift reaction time of 0.2 seconds
- Versatile single or bi-directional passage options
- Reliable DC24V 3A driving voltage
- Operates efficiently in -20~+70°C temperatures

Benefits

- Enhanced security through controlled access points.
- > Smooth, quick passage for reduced wait times.
- > Robust stainless steel for long-lasting reliability.
- Adaptable to diverse environments and weather conditions.
- ▶ Energy-efficient operation with DC24V power.
- > Seamless integration into existing security systems.

Technical Specifications

Product Size	1200*280*980mm
Material	SUS 304 stainless steel
Material Thickness	Top:1.2mm+body1.0mm
Throughput Rate	30p/m
Pass Width	550mm
Reaction Time	0.2S
Driving Voltage	DC24V 3A
Power Input	AC110~220V±10%
Working Temperature	-20~+70 C
Driving Mode	Semi-auto
Indication	LED direction indication
Weight	≤ 60 kg
IP Rating	44
MCBF	6 + Million
Tourque motor	Higher
Motor	DC Brushless



Disclaimer:

Brief product specifications are mentioned, that may change without prior notice, please check with OEM before purchase. Images are shown for reference only; the actual product may differ due to product enhancement.